## EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
&	2	"20030028869"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/27 17:47
S3	4	"6421705".pn. or "6389464".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/27 17:48
S4	2	"20040117494"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/27 18:56
S6	1	10/805963	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/28 15:46
<b>S</b> 7	1	10/805739	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/28 15:47
<b>S</b> 8	1136	@ad<"20040226" and 709/249.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/03 13:16
<b>S</b> 9	5	@ad<"20040226" and 709/249.ccls. and OSGi	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/03 13:17

S10	218	@ad<"20040226" and OSGi	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/03 13:55
S11	3	@ad<"20040226" and OSGi and prerequisite	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/03 13:55
S12	2	@ad<"20040226" and OSGi and prerequisite and cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/03 14:08
S13	190	@ad<"20040226" and OSGi and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/03 18:45
S14	1	@ad<"20040226" and OSGi and server and ("prerequisite" or "pre- requisite")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/03 18:45
S15	164	@ad<"20040226" and OSGi and server and client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/03 18:46
S17	86	@ad<"20040226" and OSGi and server and client and resource and limitation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/03 18:47
S18	36	@ad<"20040226" and OSGi and server and client and resource and limitation and cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/03 18:47

S20	44	@ad<"20040226" and OSGi and server and client and resource and cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/03 19:02
S21	8	@ad<"20040226" and OSGi and syncML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 15:00
S22	153	@ad<"20040226" and OSGi and server and client and resource	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 15:46
S23	119	@ad<"20040226" and OSGi and server and client and resource and order	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 15:52
S24	1	@ad<"20040226" and OSGi and server and client and resource and "specific order"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 15:53
S25	2	@ad<"20040226" and OSGi and server and client and resource and (load with order)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 15:57
S26	8	@ad<"20040226" and OSGi and (load same order)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 16:02
S27	7107	@ad<"20040226" and (load same order) and server and client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 16:08

S28	488	@ad<"20040226" and (download adj5 order) and server and client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 16:09
S29	3	@ad<"20040226" and (download adj5 ("specific order" or "particular order" or "specified order" or "certain order")) and server and client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 16:12
S30	2696	@ad<"20040226" and (load same order) and server and client and cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 16:59
S31	2	@ad<"20040226" and (load same order) and server and client and cache and osgi	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 17:00
S32	2	@ad<"20040226" and (load same order) and server and client and cach and osgi	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 17:03
S33	3	@ad<"20040226" and osgi and server and client and cach	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 17:06
S34	6008	@ad<"20040226" and server and client and cach	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 17:08
S38	215	@ad<"20040226" and ("server sends" and prerequisite)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 17:26

S39	3	@ad<"20040226" and ("server inquires" and prerequisite)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 17:29
S41	1	@ad<"20040226" and (inquires same resources same before same sending)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 17:31
S42	6259	@ad<"20040226" and ("before sending" or "before downloading") and resources	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 17:33
S43	6	@ad<"20040226" and (inquires same ("before sending" or "before downloading")) and (resources or prerequisite)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 17:34
S49	1262	@ad<"20040226" and "inquires about" and (prerequisite or resource or requirements)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 17:46
S51	866	@ad<"20040226" and "inquires about" and (prerequisite or resource or requirements) and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 17:46
S52	466	@ad<"20040226" and "inquires about" and (prerequisite or resource or requirements) and server and client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 17:46
S53	288	@ad<"20040226" and "inquires about" and (prerequisite or resource or requirements) and server and client and (download or loads)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 17:47

S54	249	@ad<"20040226" and "inquires about" and (prerequisite or resource or requirements) and server and client and (download or loads) and before	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 17:47
S55	2	"20020184226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	···ON	2007/12/04 17:56
S56	3	@ad<"20040226" and ((inquire or inquiry or query) with (resource or prerequisite) with before with (download or downloads or loads or load or send) with (client or device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ		2007/12/04 21:07
S57	30834	@ad<"20040226" and ((inquire or inquiry or query) and (resource or prerequisite) and before and (download or downloads or loads or load or loading or sending or send) and (client or device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON The state of the state of th	2007/12/04 21:11
S58	50	@ad<"20040226" and ((inquire or inquiry or query) and (resource or prerequisite) and before and (download or downloads or loads or load or loading or sending or send) and (client or device)) and osgi	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ		2007/12/04 21:11
<b>S</b> 60	32	@ad<"20040226" and ((inquire or inquiry or query) and (resource or prerequisite) and before and (download or downloads or loads or load or loading or sending or send) and (client or device)) and osgi and bundle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON Marianananananananananananananananananana	2007/12/04 21:15

S61	32	@ad<"20040226" and ((inquire or inquiry or query) and (resource or prerequisite) and before and (download or downloads or loads or load or loading or sending or sending or communicating or communicate) and (client or device)) and osgi and bundle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 21:18
S62	749	@ad<"20040226" and ((inquire or inquiry or query) and (resource or prerequisite) same before same (download or downloads or loads or load or loading or sending or sending or communicating or communicate) same (client or device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 09:27
S64	314	@ad<"20040226" and ((inquire or inquiry or query) and (resource or prerequisite) same before same (download or downloads or loads or load or loading or sending or sending or communicating or communicate) same (client or device)) and "709/".ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ		2007/12/05 09:28
S65	16	@ad<"20040226" and ((inquire or inquiry or query) and (resource or prerequisite) same (before adj1 (download or downloads or loads or load or loading or sending or sending or communicating or communicate)) adj3 (client or device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 09:43

S66	126	@ad<"20040226" and ((Server adj3 (inquire or inquiry or query)) and (resource or prerequisite) same before same (download or downloads or loads or load or loading or sending or send or communicating or communicate) same (client or device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 10:01
S67	7	@ad<"20030226" and OSGi and server and client and resource and limitation and cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 13:41
S69	644	@ad<"20030226" and server and client and (cache adj2 response)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 14:00
S70	36	@ad<"20030226" and server and client and "response caching"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 14:02
S71	20	@ad<"20030226" and server and client and ("response caching" same server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 14:04
S72	5	60/349443	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 14:06
S73	96	"response caching"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 14:07

S74	4	"response caching".ti.	US-PGPUB;	ADJ	ON	2007/12/05
			USPAT;			14:07
			USOCR; FPRS;			
			EPO; JPO;			
			DERWENT;			
			IBM_TDB			

12/5/2007 4:23:06 PM

C:\ Documents and Settings\ rkeehn\ My Documents\ EAST\ Workspaces\ 10787520.wsp